



SACHSEN FAHNEN

vispronet®

LIGHTBOX FOLD



INFORM
CREATE
ORDER

vispro®
design



TABLE OF CONTENTS



EXHIBITION COUNTER LIGHTBOX FOLD	2
EXHIBITION WALL LIGHTBOX FOLD	4
NOTES	6

EXHIBITION COUNTER LIGHTBOX FOLD



vispronet®



- Mobile, lightweight trade fair counter made of aluminum, single or double-sided printing possible
- Bright and energy-saving LED lighting (lifespan up to 50,000 hours)
- Easy and very quick assembly, indoors use

EXHIBITION COUNTER LIGHTBOX FOLD



vispronet®



System	<ul style="list-style-type: none"> · Foldable snap frame made of anodized aluminum, frame depth: 85 mm · Feet for stable stand · Integrated power supply · Factory pre-assembled LED components with low heat generation · Connection cable with power plug (length approx. 180 cm) · Includes practical trolley bag · Counter top made of wood (MDF board), size: approx. 100 x 35 x 1.3 cm (W x L x H) · Weight system: 8.5 kg · System size: 100 x 100 x 40 cm (W x H x D)
Print	<p>Finish:</p> <ul style="list-style-type: none"> · Single or double-sided print possible · Fastening of prints with piping – perfect, wrinkle-free tension of the motifs <p>Material:</p> <ul style="list-style-type: none"> · Single-sided printing: front printed (polyester fabric Lighttex SE, approx. 260 g/m²), back black (Multisol® X Opak SE, approx. 250 g/m²) · Double-sided printing: polyester fabric Lighttex SE, approx. 260 g/m² <p>Size (W x H):</p> <ul style="list-style-type: none"> · Approx. 100 x 100 cm
Technical data	<ul style="list-style-type: none"> · Voltage: 24V, power: 60W · Current: 2.5A, luminous flux: 4000 lumens, light colour: cold white
Delivery content	<ul style="list-style-type: none"> · Print, system including table top, transport bag



All sizes are approximate. As we are constantly developing our products we reserve the right of changing technical issues and dimensional deviations.

EXHIBITION WALL LIGHTBOX FOLD




SACHSEN FAHNEN

vispronet®



- Mobile, lightweight exhibition wall made of aluminum, printing on one or both sides possible
- Bright and energy-saving LED lighting (lifespan up to 50,000 hours)
- Easy and very quick assembly, indoors use
- Stability due to rotating feet and support rod in the middle
- Individual walls can be connected to each other using magnets integrated into the frame

EXHIBITION WALL LIGHTBOX FOLD 1)



System	<ul style="list-style-type: none"> · Foldable snap frame made of anodized aluminum, frame depth: 85 mm · Rotatable feet · Integrated power supply · Factory pre-assembled LED components with low heat · Magnets integrated into the frame (right and left side of the frame) · Connection cable with power plug (length approx. 180 cm) · Includes practical transport bag · Weight system: 8.15 kg · System size: 100 x 200 x 40 cm (W x H x D)
Print	<p>Finish:</p> <ul style="list-style-type: none"> · Single or double-sided print possible · Fastening of prints with piping – perfect, wrinkle-free tension of the motifs <p>Material:</p> <ul style="list-style-type: none"> · Single-sided printing: front printed (polyester fabric Lighttex SE, approx. 260 g/m²), back black (Multisol® X Opak SE, approx. 250 g/m²) · Double-sided printing: polyester fabric Lighttex SE, approx. 260 g/m² <p>Size (W x H):</p> <ul style="list-style-type: none"> · Approx. 100 x 200 cm
Technical data	<ul style="list-style-type: none"> · Voltage: 24V, power: 96W · Current: 4A, luminous flux: 4000 lumens, light colour: cold white
Delivery content	<ul style="list-style-type: none"> · Print, system, folding box



NOTES

- 1) Several exhibition walls can be connected to each other using integrated magnets without additional elements.
Attention: strong magnetism! People with medical implants should maintain a distance of 30 cm.

