



vispronet®



Pop Up Tents



Star Canopies



INFORM
CREATE
ORDER

www.vispronet.eu











create your design online  design



Pop Up Tents and Gazebos – Everything at a glance











The professional Pop Up Tents and Gazebos from Vispronet® impress even with a frequent use with an optimum in functionality and flexibility. As a promotional tent at fairs and markets, parties or events – in this selection you can find the perfect tent for your intend. You specify the look: with customized motives, in 21 special colours or in 5 primary colours are a variety of the tent versions available. For increased wind and weather protection you can choose walls with zipper at the side edges.

All prints are waterproof. Optional you can order all kinds of tents with an extra protective laminate. This extra protection gives the print a high scratch resistance, dirt repellence and a better durability.

	Pop Up Tent Eco	Pop Up Tent Basic	Pop Up Tent Select
			
Sizes	3x3m	3x3m, 3x4.5m, 3x6m	3x3m, 3x4.5m, 3x6m
Rack	<ul style="list-style-type: none"> · Square profiles made of powder-coated steel, white · Post: 30x30mm · Wall thickness: 0.8mm 	<ul style="list-style-type: none"> · Hexagonal profiles made of powder-coated steel, beige with hammer-finish optic · Post: Ø 40mm · Wall thickness: 1mm 	<ul style="list-style-type: none"> · Hexagonal profiles made of anodized, silver-coloured aluminium · Post: Ø 40mm · Wall thickness: 1.2mm 
	<ul style="list-style-type: none"> · Foldable frame · Lock with lever (spring mechanism) · Connectors made of robust ABS-plastic (frost- and shock-resistant) 	<ul style="list-style-type: none"> · Foldable frame · Lock with lever · Connectors made of fibre reinforced plastic · Crank system for tensioning the roof 	<ul style="list-style-type: none"> · Foldable frame · Lock with lever · Connectors made of fibre reinforced plastic · Crank system for tensioning the roof
Size	3x3m	3x3m 3x4.5m 3x6m	3x3m 3x4.5m 3x6m
Weight	20kg	24kg 31kg 42kg	17kg 22kg 29kg
Total height/ Headroom	340 cm/ 205 cm	335 cm/ 205 cm 335 cm/ 205 cm 335 cm/ 205 cm	335 cm/ 205 cm 335 cm/ 205 cm 335 cm/ 205 cm
	Headroom adjustable 3-step:	Headroom adjustable 4-step:	Headroom adjustable 4-step:
	195 cm, 205 cm, 215 cm	186 cm, 194 cm, 205 cm, 210 cm	186 cm, 194 cm, 205 cm, 210 cm
Stability			
Finish Roof, Valance, Side walls	<ul style="list-style-type: none"> · Printed, with or without protective lamination · In 5 primary colours and 21 special colours · NEW: closed walls, transparent 	<ul style="list-style-type: none"> · Printed, with or without protective lamination · In 5 primary colours and 21 special colours · NEW: closed walls, transparent 	<ul style="list-style-type: none"> · Printed, with or without protective lamination · In 5 primary colours and 21 special colours · NEW: closed walls, transparent
Base	<ul style="list-style-type: none"> · Robust ABS-plastic (frost- and shock-resistant) 	<ul style="list-style-type: none"> · Robust steel 	<ul style="list-style-type: none"> · Robust steel 



- ✓ Customizable with prints on all sides
- ✓ Free choice of tent walls with different designs
- ✓ Optional: tent walls with zippers for increased protection against wind and weather
- ✓ Available in 5 primary and 21 special colours

Pop Up Tent Select Hexagon			Pop Up Tent Compact	
				
4x4m, 4x6m, 4x8m			2.5x2.5m, 3x3m	
<ul style="list-style-type: none"> · Octagonal profiles made of anodized, silver-coloured aluminium · Post: Ø 52 mm · Wall thickness: 1.5 mm 			<ul style="list-style-type: none"> · Hexagonal profiles made of anodized, silver-coloured aluminium · Post: Ø 40 mm · Wall thickness: 1.2 mm 	
<ul style="list-style-type: none"> · Foldable frame · Lock with lever · Connectors made of fibre reinforced plastic · Crank system for tensioning the roof 			<ul style="list-style-type: none"> · Square profiles made of powder-coated, silver-gray aluminium · Post: 30x30 mm · Wall thickness: 1 mm 	
4x4m	4x6m	4x8m	3m	4m
33 kg	43 kg	58 kg	19.5 kg	25 kg
420 cm / 220 cm	420 cm / 220 cm	420 cm / 220 cm	307 cm / 205 cm	417 cm / 235 cm
Headroom adjustable 5-step:			Headroom adjustable 5-step:	
212 cm, 220 cm, 228 cm, 236 cm, 244 cm			182 cm, 190 cm, 198 cm, 205 cm, 214 cm	235 cm, 243 cm, 251 cm, 259 cm, 267 cm
				
<ul style="list-style-type: none"> · Printed, with or without protective lamination · In 21 special colours 			<ul style="list-style-type: none"> · Printed, with or without protective lamination · In 5 primary colours and 21 special colours 	
<ul style="list-style-type: none"> · Robust steel 			<ul style="list-style-type: none"> · Glass fiber reinforced plastic (high-strength, weather-resistant, frost-proof) 	
				

For every outdoor application, folding tents and folding pavilions must always be anchored to the ground. For roof anchoring and stretching it is absolutely essential to use optionally available guy sets as well as stackable weighting plates, weights and ground hooks to stabilize the tent posts. Pop Up Tents and Gazebos are not suitable for long-term and unattended outdoor use.

Gazebos/folding tents are not tested for wind and snow loads.

Pop Up Tent Eco – The professional tent for beginners

Pop Up Tents Eco are the small priced newcomer tents which are high in stability and light weight for best price. Perfect for private partys as well as for sport events or association meetings.



BEST PRICE



square profile 30x30 mm, wall thickness 0.8 mm

Sizes

Ground area	300x300 cm (9 m ²)
Height	340 cm (height setting position 3)
Overhead clearance Gazebo	3-step adjustable height setting: 195 cm, 205 cm, 215 cm
Overhead clearance Pop Up Tent	205 cm (height setting position 2)
Wall sizes	300x205 cm
Weight (without roof/walls)	20 kg

Technical details

Pop Up Tent Eco 3 x 3 m



Rack	<ul style="list-style-type: none"> square profiles (30x30 mm, wall thickness 0.8 mm), powder-coated steel (white), 3-step height-adjustable overhead clearance stable folding grid system made out of steel, locking with lever (spring mechanism) connectors and base made of robust ABS-plastic (frost- and shock-resistant) Note: For transport and storage of folding tents, the tent roofs must always be removed from the frame. For every outdoor application, folding tents and folding pavilions must always be anchored to the ground. For roof anchoring and stretching it is absolutely essential to use optionally available guy sets as well as stackable weighting plates, weights and ground hooks to stabilize the tent posts. Pop Up Tents and Gazebos are not suitable for long-term and unattended outdoor use.
-------------	--

Material (Roof cover, valance, side walls)
woven polyester, approx. 200 g/m²

for tents with individual design in digital printing

for tents in 21 special colours



Without lamination:
 · recommended for medium to long term use, woven polyester, approx. 200 g/m²
 · UV-resistant, very good colour reproduction, very good light fastness (6-7), special colours possible
 · waterproof-fabric up to a water column of 2000 mm, sealed seams
 · **Note:** tents without lamination must be handled carefully to avoid scratch marks

With protective lamination:
 · recommended for long-term use and use at frequently changing locations, woven polyester, approx. 220 g/m²
 · additional protection of special protective laminate: highest scratch resistance, dirt repellent, particularly long durability
 · UV-resistant, brilliant, bright colours, very good light fastness (6-7), special colours available
 · waterproof-fabric up to a water column of 2000 mm, sealed seams

polyester fabric, approx. 180 g/m²

for tents in 5 primary colours

· robust coated polyester fabric, approx. 180 g/m²
 · available in colours: red (Pantone 186 C), blue (Pantone Blue 072 C), dark green (Pantone 7729 C), black and white
 · waterproof-fabric up to a water column of 1000 mm, sealed seams



Clear PVC film, approx. 360 g/m²

for closed wall, transparent

· colourless, clear wall consists of clear PVC film, approx. 360 g/m²
 · increased wind- and weather protection, UV-resistant
 · wall consists of 2 welded panels, clear view from the outside and inside is guaranteed

Mounting of the side walls

· with velcro tape at the valance and fixing loops at the legs; printed walls reversible
 · **Alternative for increased wind and weather protection:** with velcro tape at the valance and fixing loops at the legs plus additional zippers for wall connecting over legs (Note: With the usage of multiple tent walls fitted with zipper only uniform mounting is possible, motive facing either inside or outside.)
 · **Half wall:** with sleeve for crossbar and velcro tape at the sides

Door

· made of tent fabric, with 2 zippers (can be opened from inside or outside), can be rolled up and fastened using velcro fastener

Windows

· sewn in clear plastic film, tear-resistant
 · **tents in primary colours:** with window cover made of tent material and with vertical zippers, can be rolled up, fixing with velcro tape

Cleaning

· can be cleaned using a wet cloth

Scope of delivery

· frame, tent roof, chosen side walls



✓ stable folding grid system

✓ 3 step adjustable height setting

✓ zippers for increased wind and weather protection



Pop Up Tent Basic – The robust steel tent

Pop Up Tents Basic are the stable and resistant tents for usage in the commercial sector.



hexagonal profile Ø 40 mm,

Sizes

Ground area

Height

Overhead clearance
Gazebo

Overhead clearance
Pop Up Tent

Wall sizes

Weight (without roof/walls)

Rack

Material (Roof cover,
valance, side walls)
woven polyester,
approx. 200 g/m²

polyester fabric,
approx. 180 g/m²

Clear PVC film,
approx. 360 g/m²

Mounting of the side walls

Door

Windows

Cleaning

Scope of delivery

Technical details

Pop Up Tent Basic 3 x 3 m



Pop Up Tent Basic 3 x 4.5 m



Pop Up Tent Basic 3 x 6 m



300 x 300 cm (9 m²)

335 cm (height setting position 3)

4-step adjustable height setting:
186 cm, 194 cm, 205 cm, 210 cm

205 cm (height setting position 3)

300 x 205 cm

24 kg

- high stability due to legs made of hexagonal profiles, powder-coated steel, beige with hammer finish optic (top Ø 40 mm, bottom Ø 36 mm, wall thickness 1 mm)
- 4-step height-adjustable overhead clearance, stable folding grid system made out of steel, locking with lever
- crank mechanism for fine adjustment and tensioning of the roof, connectors made of glass fibre reinforced plastic, steel base
- **Note: For transport and storage of folding tents, the tent roofs must always be removed from the frame. For every outdoor application, folding tents and folding pavilions must always be anchored to the ground. For roof anchoring and stretching it is absolutely essential to use optionally available guy sets as well as stackable weighting plates, weights and ground hooks to stabilize the tent posts. Pop Up Tents and Gazebos are not suitable for long-term and unattended outdoor use.**

for tents with individual design in digital printing

for tents in 21 special colours

Without lamination:

- recommended for medium to long term use, woven polyester, approx. 200 g/m²
- UV-resistant, very good colour reproduction, very good light fastness (6-7), special colours possible
- waterproof-fabric up to a water column of 2000 mm, sealed seams
- **Note:** tents without lamination must be handled carefully to avoid scratch marks

With protective lamination:

- recommended for long-term use and use at frequently changing locations, woven polyester, approx. 220 g/m²
- additional protection of special protective laminate: highest scratch resistance, dirt repellent, particularly long durability
- UV-resistant, brilliant, bright colours, very good light fastness (6-7), special colours available
- waterproof-fabric up to a water column of 2000 mm, sealed seams

for tents in 5 primary colours

- robust coated polyester fabric, approx. 180 g/m²
- available in colours: red (Pantone 186 C), blue (Pantone Blue 072 C), dark green (Pantone 7729 C), black and white
- waterproof-fabric up to a water column of 1000 mm, sealed seams

for closed wall, transparent

- colourless, clear wall consists of clear PVC film, approx. 360 g/m²
- increased wind- and weather protection, UV-resistant
- wall consists of 2 welded panels, clear view from the outside and inside is guaranteed

- with velcro tape at the valance and fixing loops at the legs; printed walls reversible
- **Alternative for increased wind and weather protection:** with velcro tape at the valance and fixing loops at the legs plus additional zippers for wall connecting over legs (Note: With the usage of multiple tent walls fitted with zipper only uniform mounting is possible, motive facing either inside or outside.)
- **Half wall:** with sleeve for crossbar and velcro tape at the sides

- made of tent fabric, with 2 zippers (can be opened from inside or outside), can be rolled up and fastened using velcro fastener

- sewn in clear plastic film, tear-resistant

- **tents in primary colours:** with window cover made of tent material and with vertical zippers, can be rolled up, fixing with velcro tape

- can be cleaned using a wet cloth

- frame, tent roof, chosen side walls



Advice: All walls can be combined with Pop Up Tents and Gazebos Select as well!



✓ stable folding grid system



✓ adjustable roof top




✓ zippers for increased wind and weather protection



Pop Up Tent Select – The professional aluminum tent

3 m line: Pop Up Tents Select with hexagonal profiles are professional tents for ambitious presentations in the commercial sector. They convince with their high stability and low weight.



hexagonal profile Ø 40mm,

Sizes

Ground area

Height

Overhead clearance

Gazebo

Overhead clearance

Pop Up Tent

Wall sizes

Weight (without roof/walls)

Rack

Material (Roof cover, valance, side walls)

woven polyester, approx. 200 g/m²

polyester fabric, approx. 180 g/m²

Clear PVC film, approx. 360 g/m²

Mounting of the side walls

Door

Windows

Cleaning

Scope of delivery

Technical details

Pop Up Tent Select 3 x 3 m



300x300 cm (9 m²)

335 cm (height setting position 3)

4-step adjustable height setting: 186 cm, 194 cm, 205 cm, 210 cm

205 cm (height setting position 3)

300x205 cm

17 kg

Pop Up Tent Select 3 x 4.5 m



300x450 cm (13.5 m²)

335 cm (height setting position 3)

4-step adjustable height setting: 186 cm, 194 cm, 205 cm, 210 cm

205 cm (height setting position 3)

300x205 cm, 450x205 cm

22 kg

Pop Up Tent Select 3 x 6 m



300x600 cm (18 m²)

335 cm (height setting position 3)

4-step adjustable height setting: 186 cm, 194 cm, 205 cm, 210 cm

205 cm (height setting position 3)

300x205 cm, 600x205 cm

29 kg

- high stability due to legs made of hexagonal profiles (top Ø 40mm, bottom Ø 36mm, wall thickness 1 mm), anodized, silver-coloured aluminum, 4-step height-adjustable overhead clearance, stable folding grid system made of aluminum, locking with lever
- crank mechanism for fine adjustment and tensioning of the roof, connectors made of glass-fibre reinforced plastic (high-strength, weather-resistant, frost-proof), feet made of robust steel
- **Note: For transport and storage of folding tents, the tent roofs must always be removed from the frame. For every outdoor application, folding tents and folding pavilions must always be anchored to the ground. For roof anchoring and stretching it is absolutely essential to use optionally available guy sets as well as stackable weighting plates, weights and ground hooks to stabilize the tent posts. Pop Up Tents and Gazebos are not suitable for long-term and unattended outdoor use.**

for tents with individual design in digital printing

Without lamination:

- recommended for medium to long term use, woven polyester, approx. 200 g/m²
- UV-resistant, very good colour reproduction, very good light fastness (6-7), special colours possible
- waterproof-fabric up to a water column of 2000 mm, sealed seams
- **Note:** tents without lamination must be handled carefully to avoid scratch marks

With protective lamination:

- recommended for long-term use and use at frequently changing locations, woven polyester, approx. 220 g/m²
- additional protection of special protective laminate: highest scratch resistance, dirt repellent, particularly long durability
- UV-resistant, brilliant, bright colours, very good light fastness (6-7), special colours available
- waterproof-fabric up to a water column of 2000 mm, sealed seams

for tents in 5 primary colours

- robust coated polyester fabric, approx. 180 g/m²
- available in colours: red (Pantone 186 C), blue (Pantone Blue 072 C), dark green (Pantone 7729 C), black and white
- waterproof-fabric up to a water column of 1000 mm, sealed seams

for closed wall, transparent

- colourless, clear wall consists of clear PVC film, approx. 360 g/m²
- increased wind- and weather protection, UV-resistant
- wall consists of 2 welded panels, clear view from the outside and inside is guaranteed

- with velcro tape at the valance and fixing loops at the legs; printed walls reversible
- **Alternative for increased wind and weather protection:** with velcro tape at the valance and fixing loops at the legs plus additional zippers for wall connecting over legs (Note: With the usage of multiple tent walls fitted with zipper only uniform mounting is possible, motive facing either inside or outside.)
- **Half wall:** with sleeve for crossbar and velcro tape at the sides

- made of tent fabric, with 2 zippers (can be opened from inside or outside), can be rolled up and fastened using velcro fastener

- sewn in clear plastic film, tear-resistant

- **tents in primary colours:** with window cover made of tent material and with vertical zippers, can be rolled up, fixing with velcro tape

- can be cleaned using a wet cloth

- frame, tent roof, chosen side walls



Advice: All walls can be combined with Pop Up Tents and Gazebos Basic as well!


✓ 4 step adjustable height setting



✓ stable folding grid system



4 m line: Pop Up Tents Select with octagonal profiles are premium tents for extensive roof constructions for presentations, exhibitions or other events.



octagonal profile Ø 52 mm, wall thickness 1.5 mm

Sizes

Ground area

Height

Overhead clearance Gazebo

Overhead clearance Pop Up Tent

Wall sizes

Weight (without roof/walls)

Rack

Material (Roof cover, valance, side walls)
woven polyester, approx. 200 g/m²

Mounting of the side walls

Door

Windows

Cleaning

Scope of delivery

Technical details

Pop Up Tent Select 4x4 m



Pop Up Tent Select 4x6 m



Pop Up Tent Select 4x8 m



400 x 400 cm (16 m²)

420 cm (height setting position 1)

5-step adjustable height setting: 212 cm, 220 cm, 228 cm, 236 cm, 244 cm

220 cm (height setting position 2)

400 x 220 cm

33 kg

400 x 600 cm (24 m²)

420 cm (height setting position 1)

5-step adjustable height setting: 212 cm, 220 cm, 228 cm, 236 cm, 244 cm

220 cm (height setting position 2)

400 x 220 cm, 600 x 220 cm

43 kg

400 x 800 cm (32 m²)

420 cm (height setting position 1)

5-step adjustable height setting: 212 cm, 220 cm, 228 cm, 236 cm, 244 cm

220 cm (height setting position 2)

400 x 220 cm, 800 x 220 cm

58 kg

- high stability due to legs made of octagonal profiles (top Ø 52 mm, bottom Ø 45 mm, wall thickness 1.5 mm), anodized silver-coloured aluminum, 5-step height-adjustable overhead clearance, stable folding grid system made of aluminum, locking with lever
- crank mechanism for fine adjustment and tensioning of the roof, connectors made of glass-fibre reinforced plastic (high-strength, weather-resistant, frost-proof), feet made of robust steel
- **Note:** For transport and storage of folding tents, the tent roofs must always be removed from the frame. For every outdoor application, folding tents and folding pavilions must always be anchored to the ground. For roof anchoring and stretching it is absolutely essential to use optionally available guy sets as well as stackable weighting plates, weights and ground hooks to stabilize the tent posts. Pop Up Tents and Gazebos are not suitable for long-term and unattended outdoor use.

for tents with individual design in digital printing

for tents in 21 special colours



Without lamination:

- recommended for medium to long term use, woven polyester, approx. 200 g/m²
- UV-resistant, very good colour reproduction, very good light fastness (6-7), special colours possible
- waterproof-fabric up to a water column of 2000 mm, sealed seams
- **Note:** tents without lamination must be handled carefully to avoid scratch marks

With protective lamination:

- recommended for long-term use and use at frequently changing locations, woven polyester, approx. 220 g/m²
- additional protection of special protective laminate: highest scratch resistance, dirt repellent, particularly long durability
- UV-resistant, brilliant, bright colours, very good light fastness (6-7), special colours available
- waterproof-fabric up to a water column of 2000 mm, sealed seams


- with velcro tape at the valance and fixing loops at the legs; printed walls reversible
- **Alternative for increased wind and weather protection:** with velcro tape at the valance and fixing loops at the legs plus additional zippers for wall connecting over legs (Note: With the usage of multiple tent walls fitted with zipper only uniform mounting is possible, motive facing either inside or outside.)
- **Half wall:** with sleeve for crossbar and velcro tape at the sides

- made of tent fabric, with 2 zippers (can be opened from inside or outside), can be rolled up and fastened using velcro fastener

- sewn in clear plastic film, tear-resistant

- can be cleaned using a wet cloth

- frame, tent roof, chosen side walls



Pop Up Tent Select Hexagon – aluminum tents for professionals



Pop Up Tents Select Hexagon are light and stable tents with hexagonal base.



hexagonal profile Ø 40 mm, wall thickness 1.2 mm

Sizes


Ground area (a)

Technical details

Pop Up Tent Select Hexagon 3m



Pop Up Tent Select Hexagon 4m



Height (b)

maximum 307 cm (height setting position 5)

maximum 417 cm (height setting position 5)

Overhead clearance (c) Gazebo

5-step adjustable height setting: 182 cm, 190 cm, 198 cm, 205 cm, 214 cm

5-step adjustable height setting: 235 cm, 243 cm, 251 cm, 259 cm, 267 cm

Overhead clearance (c) Pop Up Tent

205 cm (height setting position 4)

235 cm (height setting position 1)

Wall sizes

150 x 205 cm

200 x 235 cm

Weight (without roof/walls)

19.5 kg

25.0 kg

Rack

- high stability due to legs made of hexagonal profiles (top Ø 40 mm, bottom Ø 36 mm, wall thickness 1.2 mm), anodized silver-coloured aluminum, 5-step height-adjustable overhead clearance, stable folding grid system made of aluminum, locking with lever
- crank mechanism for fine adjustment and tensioning of the roof, connectors made of glass-fibre reinforced plastic (high-strength, weather-resistant, frost-proof)
- robust feet made of cast aluminum
- **Note:** For transport and storage of folding tents, the tent roofs must always be removed from the frame. For every outdoor application, folding tents and folding pavilions must always be anchored to the ground. For roof anchoring and stretching it is absolutely essential to use optionally available guy sets as well as stackable weighting plates, weights and ground hooks to stabilize the tent posts. Pop Up Tents and Gazebos are not suitable for long-term and unattended outdoor use.

Material (Roof cover, valance, side walls)
woven polyester, approx. 200 g/m²

for tents with individual design in digital printing

Without lamination:

- recommended for medium to long term use, woven polyester, approx. 200 g/m²
- UV-resistant, very good colour reproduction, very good light fastness (6-7), special colours possible
- waterproof-fabric up to a water column of 2000 mm, sealed seams
- **Note:** tents without lamination must be handled carefully to avoid scratch marks

With protective lamination:

- recommended for long-term use and use at frequently changing locations, woven polyester, approx. 220 g/m²
- additional protection of special protective laminate: highest scratch resistance, dirt repellent, particularly long durability
- UV-resistant, brilliant, bright colours, very good light fastness (6-7), special colours available
- waterproof-fabric up to a water column of 2000 mm, sealed seams

for tents in white

- woven polyester, approx. 200 g/m²
- waterproof-fabric up to a water column of 2000 mm, sealed seams



Mounting of the side walls

- with velcro tape at the valance and fixing loops at the legs; printed walls reversible
- **Alternative for increased wind and weather protection:** with velcro tape at the valance and fixing loops at the legs plus additional zippers for wall connecting over legs (Note: With the usage of multiple tent walls fitted with zipper only uniform mounting is possible, motive facing either inside or outside.)
- **Half wall:** with sleeve for crossbar and velcro tape at the sides

Door

- made of tent fabric, with 2 zippers (can be opened from inside or outside), can be rolled up and fastened using velcro fastener

Windows

- sewn in clear plastic film, tear-resistant

Cleaning

- can be cleaned using a wet cloth

Scope of delivery


- frame, tent roof, chosen side walls



✓ stable folding grid system

✓ adjustable roof top

✓ 5 step adjustable height setting



Pop Up Tent Compact – mobile tents for easy transport

With their low weight and compact dimensions, Pop Up Tents Compact are ideal for short-term use as an information, sales or promotion stand.



square profile 30x30mm, wall thickness 1 mm

Sizes

Ground area

Technical details

Pop Up Tent Compact 2.5 x 2.5 m



Pop Up Tent Compact 3 x 3 m



Height

Overhead clearance Gazebo

Overhead clearance Pop Up Tent

Wall sizes

Weight (without roof/walls)

Rack

Material (Roof cover, valance, side walls)

woven polyester, approx. 200 g/m²

polyester fabric, approx. 180 g/m²

Mounting of the side walls

Door

Windows

Cleaning

Scope of delivery

250 x 250 cm (6.25 m²)

315 cm (height setting position 4)

4-step adjustable height setting: 173 cm, 181 cm, 189 cm, 205 cm

205 cm (height setting position 4)

250 x 205 cm

12 kg

- legs made of square profiles (top 30x30mm, bottom 27x27mm, wall thickness 1 mm), powder-coated silver-gray aluminum
- 4-step height-adjustable overhead clearance, stable folding grid system made of aluminum, locking with lever
- connectors and feet made of glass-fibre reinforced plastic

Note: For transport and storage of folding tents, the tent roofs must always be removed from the frame. For every outdoor application, folding tents and folding pavilions must always be anchored to the ground. For roof anchoring and stretching it is absolutely essential to use optionally available guy sets as well as stackable weighting plates, weights and ground hooks to stabilize the tent posts. Pop Up Tents and Gazebos are not suitable for long-term and unattended outdoor use.

for tents with individual design in digital printing

Without lamination:

- recommended for medium to long term use, woven polyester, approx. 200 g/m²
- UV-resistant, very good colour reproduction, very good light fastness (6-7), special colours possible
- waterproof-fabric up to a water column of 2000 mm, sealed seams
- Note:** tents without lamination must be handled carefully to avoid scratch marks

With protective lamination:

- recommended for long-term use and use at frequently changing locations, woven polyester, approx. 220 g/m²
- additional protection of special protective laminate: highest scratch resistance, dirt repellent, particularly long durability
- UV-resistant, brilliant, bright colours, very good light fastness (6-7), special colours available
- waterproof-fabric up to a water column of 2000 mm, sealed seams

for tents in 5 primary colours

- robust coated polyester fabric, approx. 180 g/m²
- available in colours: red (Pantone 186 C), blue (Pantone Blue 072 C), dark green (Pantone 7729 C), black and white
- waterproof-fabric up to a water column of 1000 mm, sealed seams

with velcro tape at the valance and fixing loops at the legs; printed walls reversible


- Alternative for increased wind and weather protection:** with velcro tape at the valance and fixing loops at the legs plus additional zippers for wall connecting over legs (Note: With the usage of multiple tent walls fitted with zipper only uniform mounting is possible, motive facing either inside or outside.)
- Half wall:** at the sides with fixing loops at the legs

made of tent fabric, with 2 zippers (can be opened from inside or outside), can be rolled up and fastened using velcro fastener

sewn in clear plastic film, tear-resistant

can be cleaned using a wet cloth

frame, tent roof, chosen side walls



easy transport

weather resistant connectors

Wall versions



Pop Up Tent Basic, Eco and Select – Tent walls made of woven polyester printed or in 21 special colours

Increased wind and weather protection: Tent walls optionally available with zippers (except for half walls)

Double use: All tent walls can be used for the gazebos and tents of the Basic line, Eco line and of the Select line.

Flexible use: Reverse wall mounting with motive facing inside or outside. (Note: With the usage of multiple tent walls fitted with zipper only uniform mounting is possible, motive facing either inside or outside.)

Wall sizes:	300 x 205 cm	450 x 205 cm	600 x 205 cm	400 x 220 cm	600 x 220 cm	800 x 220 cm
	closed wall 300 x 205 cm	closed wall 450 x 205 cm	closed wall 600 x 205 cm	closed wall 400 x 220 cm	closed wall 600 x 220 cm	closed wall 800 x 220 cm
	wall with half height 300 x 95 cm	wall with half height 450 x 95 cm		wall with half height 400 x 100 cm		
			2 panorama windows 250 x 122 cm		2 panorama windows 250 x 122 cm	2 panorama windows 290 x 122 cm
	1 panorama window 250 x 122 cm	1 panorama window 350 x 122 cm		1 panorama window 280 x 122 cm	1 panorama window 410 x 122 cm	
	2 windows 80 x 122 cm	3 windows 80 x 122 cm	4 windows 80 x 122 cm	2 windows 80 x 122 cm	3 windows 80 x 122 cm	4 windows 80 x 122 cm
	2 windows with round top 80 x 122 cm	3 windows with round top 80 x 122 cm	4 windows with round top 80 x 122 cm	2 windows with round top 80 x 122 cm	3 windows with round top 80 x 122 cm	4 windows with round top 80 x 122 cm
		door left 80 x 205 cm	door left 80 x 205 cm	door left 80 x 220 cm	door left 80 x 220 cm	door left 80 x 220 cm
						door to the left 80 x 220 cm
						door to the right 80 x 220 cm
		door right 80 x 205 cm	door right 80 x 205 cm	door right 80 x 220 cm	door right 80 x 220 cm	door right 80 x 220 cm
	door in the middle 80 x 205 cm	door in the middle 80 x 205 cm		door in the middle 80 x 220 cm	door in the middle 80 x 220 cm	
		door in the middle, 80 x 205 cm 2 windows with round top, 80 x 122 cm			door in the middle, 80 x 220 cm 2 windows with round top, 80 x 122 cm	
		door in the middle, 80 x 205 cm 2 windows, 80 x 122 cm			door in the middle, 80 x 220 cm 2 windows, 80 x 122 cm	
		door left, 80 x 205 cm 2 windows with round top, 80 x 122 cm	door left, 80 x 205 cm 3 windows with round top, 80 x 122 cm	door left, 80 x 220 cm 1 window with round top, 80 x 122 cm	door left, 80 x 220 cm 2 windows with round top, 80 x 122 cm	door left, 80 x 220 cm 3 windows with round top, 80 x 122 cm
						door to the left, 80 x 220 cm 3 windows with round top, 80 x 122 cm
						door to the right, 80 x 220 cm 3 windows with round top, 80 x 122 cm
	door right, 80 x 205 cm 1 window with round top, 80 x 122 cm	door right, 80 x 205 cm 2 windows with round top, 80 x 122 cm	door right, 80 x 205 cm 3 windows with round top, 80 x 122 cm	door right, 80 x 220 cm 1 window with round top, 80 x 122 cm	door right, 80 x 220 cm 2 windows with round top, 80 x 122 cm	door right, 80 x 220 cm 3 windows with round top, 80 x 122 cm
		door left, 80 x 205 cm 2 windows, 80 x 122 cm	door left, 80 x 205 cm 3 windows, 80 x 122 cm	door left, 80 x 220 cm 1 window, 80 x 122 cm	door left, 80 x 220 cm 2 windows, 80 x 122 cm	door left, 80 x 220 cm 3 windows, 80 x 122 cm
						door to the left, 80 x 220 cm 3 windows, 80 x 122 cm
						door to the right, 80 x 220 cm 3 windows, 80 x 122 cm
	door right, 80 x 205 cm 1 window, 80 x 122 cm	door right, 80 x 205 cm 2 windows, 80 x 122 cm	door right, 80 x 205 cm 3 windows, 80 x 122 cm	door right, 80 x 220 cm 1 window, 80 x 122 cm	door right, 80 x 220 cm 2 windows, 80 x 122 cm	door right, 80 x 220 cm 3 windows, 80 x 122 cm

Pop Up Tent Basic, Eco und Select - Tent walls made of clear PVC film, colourless

Increased wind and weather protection: Tent walls optionally available with zippers (except for half walls)
Double use: All tent walls can be used for the gazebos and tents of the Basic line, Eco line and of the Select line.

Wall sizes:	300 x 205 cm	450 x 205 cm	600 x 205 cm
	closed wall 300 x 205 cm		closed wall 450 x 205 cm
	closed wall 600 x 205 cm		

Pop Up Tent Basic, Eco and Select – Tent walls made of woven polyester, in 5 primary colours



Increased wind and weather protection: Tent walls optionally available with zippers (except for half walls)
Double use: All tent walls can be used for the gazebos and tents of the Basic line, Eco line and of the Select line.

Wall sizes:	300 x 205 cm	450 x 205 cm	600 x 205 cm
	closed wall 300 x 205 cm · with door function · completely rollable		closed wall 450 x 205 cm · with door function · completely rollable
	half wall 300 x 95 cm		half wall 450 x 95 cm
	1 panorama window 250 x 122 cm · with door function · completely rollable		1 panorama window 350 x 122 cm · with door function · completely rollable
	1 door left, 80 x 220 cm 1 window, 80 x 122 cm · completely rollable		1 door left, 80 x 220 cm 2 windows, 80 x 122 cm · completely rollable
			2 panorama windows 250 x 122 cm · with door function · completely rollable
			1 door left, 80 x 220 cm 3 windows, 80 x 122 cm · completely rollable

Pop Up Tent Select Hexagon – Tent walls made of woven polyester printed or white

Increased wind and weather protection: Tent walls optionally available with zippers (except for half walls)

Wall sizes:	150 x 205 cm (for Pop Up Tent Select Hexagon 3m)	200 x 235 cm (for Pop Up Tent Select Hexagon 4m)
	closed wall 150 x 205 cm	
	half wall 150 x 90 cm	
	1 panorama window 120 x 122 cm	
	1 window 80 x 122 cm	
	1 window with round top 80 x 122 cm	
	door in the middle 80 x 205 cm	

Pop Up Tent Compact - Tent walls made of woven polyester printed and in 21 special colours + woven polyester, in 5 primary colours



Increased wind and weather protection: Tent walls optionally available with zippers (except for half walls)

Wall sizes:	250 x 205 cm (for Pop Up Tent Compact 2.5 x 2.5 m)	300 x 205 cm (for Pop Up Tent Compact 3 x 3 m)
	closed wall 250 x 205 cm · with door function · completely rollable	
	half wall 250 x 95 cm	

List of 21 special colours:

White	Olive green	Sky blue
Black	Light green	Lilac
Grey	Lime green	Violet
Sand yellow	Green	Magenta
Sun yellow	Traffic blue	Pink
Light brown	Gentian blue	Red
Brown	Cyan	Blood orange

✓ with door function

✓ completely rollable



Advertising media with/without print – for Pop Up Tent Basic, Eco, Select and Select Hexagon

Exchangeable banners for valances and walls



- self-adhesive, mobile banner with velcro tape fixing for short-term use
 - 4-colour, fully printable
- Material:**
- woven polyester, 200g/m²
 - UV-resistant
 - waterproof up to a water column of 2000 mm
 - cleaning with a damp cloth is possible
- Finish:**
- with all around sewn on hook-and-loop tape (male) on the rear side, delivery with self-adhesive counter part (female) for self-installation

Exchangeable banners for valances - Pop Up Tent Basic, Eco, Select, Compact

3x3m	3x4.5m	3x6m	4x4m	4x6m	4x8m
285x20cm	285x20cm, 435x20cm	285x20cm, 585x20cm	380x30cm	380x30cm, 575x30cm	380x30cm, 2x 380x30cm

Exchangeable banners for tent walls - Pop Up Tent Basic, Eco, Select, Compact

	Width (min. - max.)	Height (min. - max.)
Portrait style	20 - 148cm	20 - 150cm
Landscape style	20 - 585cm	20 - 150cm
Square	20 - 150cm	20 - 150cm

Sizes for exchangeable banners for valances - Pop Up Tent Select Hexagon

Width of valance 150cm: 135x20cm	Width of valance 200cm: 185x20cm
----------------------------------	----------------------------------

Sizes for exchangeable banners for tent walls - Pop Up Tent Select Hexagon

	Width (min. - max.)	Height (min. - max.)
Portrait style	20 - 148cm	20 - 150cm
Landscape style	20 - 185cm	20 - 100cm
Square	20 - 150cm	20 - 150cm

Note: Exchangeable banners are suited for attachment to Pop Up Tents and Gazebos of Sachsen Fahnen/Vispronet®. No liability will be assumed for the use on other systems.

Brackets for flags and Bowflag®

Bowflag® bracket for tent legs – vertical



- aluminum profile with plug-in sleeve, inner Ø 20 mm
- clamp for tent pole, made of glass fibre reinforced plastic (high-strength, weather-proof, frost-proof), fitting to hexagonal profiles Ø 40mm and octagonal profiles Ø 52mm
- suitable for:
 - Bowflag® Basic size S: all flying shapes, drop shape
 - Bowflag® Basic size XS: concave or angled bottom edge, drop shape
 - Bowflag® Basic size XXS: concave bottom edge, drop shape

Bowflag® bracket for tent legs – 30°



- aluminum profile with plug-in sleeve, inner Ø 20 mm
- clamp for tent pole, made of glass fibre reinforced plastic (high-strength, weather-proof, frost-proof), fitting to hexagonal profiles Ø 40mm and octagonal profiles Ø 52mm
- suitable for Bowflag® Basic (sizes S, XS, XXS)

Flag holder for tent legs – 75°



- aluminum profile with plug-in sleeve, inner Ø 20 mm
- clamp for tent pole, made of glass fibre reinforced plastic (high-strength, weather-proof, frost-proof), fitting to hexagonal profiles Ø 40mm and octagonal profiles Ø 52mm
- suitable for ice-cream flags and small fabric flags

Curved leg banners

- Material:**
- woven polyester, optionally available with additional protective lamination
 - all-over, 4-colour printable, with bright colours and very good light fastness
 - UV-resistant, waterproof, seams rainproof
 - cleaning with a damp cloth is possible
- Finish:**
- sides reinforced with tape, upper edge with hook-and-loop tape (female) for fastening at the valance, bottom edge with hook-and-loop tape (female) for fixation at the tent legs



Sizes for Pop Up Tent Basic, Eco, Select, Compact:

- 150x205 cm (3x3m, 3x4.5m, 3x6m)
- 150x220 cm (4x4m, 4x6m, 4x8m)

Delivery:

- Gazebo Select with 4 or 6 corner banners
- individual corner banners or as a set of 4 or 6 pieces

Sizes for Pop Up Tent Select Hexagon:

- 100x205 cm (3m)
- 150x235 cm (4m)

Delivery:


- Gazebo Select Hexagon with 6 corner banners
- individual corner banners or as a set of 6 pieces



Unicoloured decoration elements

Leg drapes, coloured, without print

- can be used as a corner drape
 - easy mounting
- Material:**
- shiny, knitted polyester, 110g/m²
 - vast choice of colours
 - washable up to 60°
- Finish:**
- hemmed all around, top edge pleated and provided with hook-and-loop tape, equipped with decorative tape for attachment at the legs



Sizes for Pop Up Tent Basic, Eco, Select, Compact:

- 80x205 cm (3x3m, 3x4.5m, 3x6m)
- 80x220 cm (4x4m, 4x6m, 4x8m)

Sizes for Pop Up Tent Select Hexagon:

- 80x205 cm (3m)
- 80x235 cm (4m)

Bowflag® Basic drop shape, coloured, without print

- Material:**
- shiny, knitted polyester, 110g/m²
 - vast choice of colours
 - washable up to 60°
 - pole segments made of aluminum + glass fibre
- Sizes:**
- S, XS, XXS



Decoration bows XL, coloured, without print

- lengths: 80 cm, 100 cm, 150 cm, 200 cm, 250 cm
- bow made of polyester with fastening tape
- for festive decoration indoor and outdoor
- vast choice of colours



Tent Awning for Pop Up Tents Basic and Select

- as sun- or rain protection and the expansion of retail space
- suitable for Pop Up Tent Basic and Select 3x3m, 3x4.5m, 3x6m
- full surface printable in digital printing, motif appears mirrored on the reverse
- available with and without extra protection laminate
- fast, easy, toolless mounting on tent poles and on valance
- made of polyester fabric, UV resistant, very good colour rendering and lightfastness
- tent fabric waterproof up to a water column of 2000 mm, sealed seams



Accessoires

Safety elements




- Weight Plate 18 x 20 cm / 5 kg**
- cast steel, black, powder coated
 - with convenient carry handle, stackable
 - 18x3x20 cm
 - suitable for: Pop Up Tent Basic, Eco, Select (3x3 m, 3x4.5 m, 3x6 m), Select Hexagon and Compact



- Weight Plate Ø 36 cm / 10 kg**
- cast steel, black, powder coated
 - with convenient carry handle, stackable
 - Ø 36 cm, height 1.9 cm
 - suitable for: Pop Up Tent Basic, Eco, Select, Select Hexagon and Compact



- Weight Plate Ø 43 cm / 20 kg**
- cast steel, black, powder coated
 - two-piece, with convenient carry handles, stackable
 - Ø 43 cm, height 2.4 cm
 - suitable for: Pop Up Tent Basic, Eco, Select, Select Hexagon and Compact



- Plastic Weight, water fillable, 7.5 l**
- plastic, silver-grey
 - with convenient carry handle, stackable
 - 37x12x37 cm
 - suitable for: Pop Up Tent Basic, Eco, Select (3x3 m, 3x4.5 m, 3x6 m), Select Hexagon, Compact



- Weight Bag to be filled with sand, approx. 10 kg**
- woven polyester, black, 23x30x12 cm
 - 2 pockets with zipper for filling
 - easy attachment to the tent leg by fastening strap
 - suitable for: Pop Up Tent Basic, Eco, Select, Select Hexagon and Compact



- Ground hook**
- set of 5 pieces, length 16 cm, powder coated steel
 - can be used for anchoring and to secure the tent leg on the flooring sheet against slipping
 - suitable for: Pop Up Tent Basic, Eco, Select, Select Hexagon and Compact



- Anchoring-Set Basic**
- 4 tent pegs: steel, galvanized with eyelet ø 24 mm (length 27 cm, thickness 5.2 mm), 4 ropes (each ø 6 mm) packed in white straw-string bag
 - suitable for: Pop Up Tent Basic, Eco, Select (3x3 m, 3x4.5 m, 3x6 m), Select Hexagon and Compact



- Anchoring-Set Select 30**
- 2 tent pegs: stable steel stakes in T-shape, (length 30 cm, thickness 3.2 mm), 2 ropes with aluminum adjustment plates (length 5.20 m, ø 6 mm, black/white) packed in white straw-string bag
 - suitable for: Pop Up Tent Basic, Eco, Select, Select Hexagon and Compact




- Anchoring-Set Select 40**
- 2 tent pegs: stable steel stakes in T-shape, (length 40 cm, thickness 4 mm), 2 ropes with aluminum adjustment plates (length 5.20 m, ø 6 mm, black/white) packed in white straw-string bag
 - suitable for: Pop Up Tent Basic, Eco, Select, Select Hexagon and Compact
 - professional attachment on soft ground, possible also under difficult conditions

Note: Pop Up Tent Basic, Eco, Select, Select Hexagon and Compact must be anchored safely to the ground if used outdoors! Never use Pop Up Tents unsecured.


Flooring

- flooring sheet in 4-tile design, with holes for drainage
- plastic from PP (polypropylene), black
- slip resistant, UV-stable, colourfast, weather-resistant, frost-proof
- 4 direction quick installation due to overlay/underlay system
- bottom with drains for use in wet area


Sizes (WxHxD):



Flooring Sheet
50x2.7x50 cm,
weight: 1450 g



Ramp
50x2.7x12 cm,
weight: 215 g



Corner
12x2.7x12 cm,
weight: 45 g

Required flooring sheets: Pop Up Tent Basic, Eco and Select

3x3 m
· 36 sheets, 24 ramps,
4 corners, weight: 58 kg

3x4.5 m
· 54 sheets, 30 ramps,
4 corners, weight: 85 kg

3x6 m
· 72 sheets, 36 ramps,
4 corners,
weight: 112 kg

4x4 m
· 81 sheets, 36 ramps,
4 corners,
weight: 125 kg

4x6 m
· 117 sheets, 44 ramps,
4 corners,
weight: 179 kg

4x8 m
· 153 sheets, 52 ramps,
4 corners,
weight: 233 kg

Required flooring sheets: Pop Up Tent Select Hexagon

3 m
· 42 sheets, 26 ramps, 4 corners,
weight: 67 kg

4 m
· 72 sheets, 34 ramps, 4 corners,
weight: 112 kg

Required flooring sheets: Pop Up Tent Compact

2.5x2.5 m
· 25 sheets, 20 ramps, 4 corners,
weight: 41 kg

3x3 m
· 36 sheets, 24 ramps, 4 corners,
weight: 58 kg

Lighting

LED spotlight for Pop Up Tents



LED spotlight RGB for Pop Up Tents



- with remote, 16 different colours are selectable, incl. 4 additional modes

- energy saving, 30 W, 90–260V, for Pop Up Tent Eco, Basic, Select
- weatherproof aluminum housing with swivelling mounting bracket, silver-grey, powder-coated (protective class IP65)
- size: 225x185x90 mm, weight: 1.8 kg

Rain gutter

- for use between two tent roofs
- attachment with Velcro to the tent valance
- equal flow from rain water with the combination of two or more tents
- Material: rain-tight woven polyester, approx. 450 g/m², white
- waterproof-fabric up to a water column of 2000 mm, sealed seams
- available in 6 standard sizes



Rain gutter	Size (LxW)	Suitable for Pop Up Tent
2.5 m	250x20 cm	Compact 2.5x2.5 m
3 m	300x20 cm	Basic (3x3 m, 3x4.5 m, 3x6 m), Eco (3x3 m), Select (3x3 m, 3x4.5 m, 3x6 m), Compact (3x3 m)
4 m	400x25 cm	Select (4x4 m, 4x6 m, 4x8 m)
4,5 m	450x20 cm	Basic (3x4.5 m), Select (3x4.5 m)
6 m	600x25 cm	Basic (3x6 m), Select (3x6 m, 4x6 m)
8 m	800x25 cm	Select (4x8 m)

Accessoires

Bags

Trolley Bag Basic*

- made of heavy fabric with integrated wheels, reinforced bottom with steel insert, large top pocket, pull and carrying handles

suitable for: Pop Up Tent Basic, Eco and Select

Pop Up Tent	Size (LxWxH)	Weight
3x3 m	27x27x156 cm	3.5kg
3x4.5 m	44x26x156 cm	3.5kg
3x6 m	45x27x156 cm	4.3kg
4x4 m	37x40x220 cm	5.5kg
4x6 m	37x60x220 cm	5.5kg
4x8 m	37x70x220 cm	6.5kg




Trolley Bag Basic Hexagon*

- made of heavy fabric with integrated wheels, reinforced bottom with steel insert, large top pocket, pull and carrying handles

suitable for: Pop Up Tent Select Hexagon

Pop Up Tent	Size (LxWxH)	Weight
3 m	35x40x160 cm	3.2kg
4 m	40x40x200 cm	3.8kg



*Note:

The straps of the Trolley Bag Basic need to brace carefully by each use. The Trolley Bag Basic is suitable for the storage and occasional, short transport of Pop Up Tents on smooth floors. For higher load we recommend Trolley Bag Select or Trolley Box 168.

Trolley Bag Compact

- made of heavy fabric with integrated wheels, reinforced bottom with steel insert, large top pocket, pull and carrying handles

suitable for: Pop Up Tent Compact

Pop Up Tent	Size (LxWxH)	Weight
2.5x2.5 m	30x28x130 cm	2.5kg
3x3 m	30x28x130 cm	2.5kg



Bags

Trolley Box 168

- made of wood composite material, black (wall thickness 8 mm)
- with reinforced aluminum frame, lid stays safely upright, chrome-plated round corners for high corner protection, 3 snap locks with eyelets (for use of additional padlocks), durable wheels and 2 folding handles
- interior lined with solid foam
- Max. load: 115 kg

suitable for: Pop Up Tent Basic and Select

Pop Up Tent		Outer dimension	Inner dimension	Weight
3x3 m	Trolley Box 168/46	166x45x46 cm	162x40x40 cm	max. 26kg
3x4.5 m	Trolley Box 168/56	166x45x56 cm	162x40x50 cm	max. 29kg
3x6 m	Trolley Box 168/66	166x44x67 cm	162x40x61 cm	max. 32kg



Hardcase Trolley 164

- robust transport trolley made of plastic (HDPE) with 2 integrated wheels, handles, 3 locking straps on the outside and 3 securing straps inside
- max. load up to 31 kg possible

suitable for: Pop Up Tent Select (incl. canvas) and Compact

Pop Up Tent	Size (LxWxH)	Weight
2.5x2.5 m	164x43x27 cm	9.5kg
3x3 m	164x43x27 cm	9.5kg



Protective bag

- made of black fabric, with zippers
- dust and splash protection for tent-rack, roof and valance

suitable for: Pop Up Tent Basic, Eco and Select

Pop Up Tent	Size (LxWxH)	Weight
3x3 m	157x26x26 cm	1.0kg
3x4.5 m	159x33x26 cm	1.2kg
3x6 m	163x44x26 cm	1.5kg



Transport Bag for Tent Walls

- lightweight carrying bag with handles, closed with velcro tape for tent walls or roof cover

suitable for: Pop Up Tent Basic, Eco, Select, Select Hexagon and Compact


max. load capacity per bag	piece/bag
Tent wall size (W x H)	
· 150x200 cm, 200x235 cm, 250x250 cm, 300x300 cm	3 pieces
· 300x450 cm, 400x400 cm	2 pieces
· 300x600 cm, 400x600 cm, 400x800 cm	1 piece
Roof cover	1 piece








Note: For the transport and the storage of Pop Up Tents the roof cover always needs to remove. To avoid damages on the product the rack needs to put in the Trolley Bag - downwards with its feet, in the direction of the integrated wheels.

Star Gazebo and Star Canopy

Due to their outstanding appearance star gazebos and tents are the ideal event- and promotion partners. They are perfectly suited as canopies for various outdoor events.



Technical details				
 <p>Sizes</p>	<p>Star Canopy Ø 10 m</p> 	<p>Star Canopy Ø 12 m</p> 	<p>Star Canopy Ø 14 m</p> 	<p>Star Canopy Ø 17 m</p> 
	<p>Ground area</p>	round, Ø 10 m	round, Ø 12 m	round, Ø 14 m
Height	500 cm	500 cm	500 cm	600 cm
Overhead clearance Star Canopy	210 cm	210 cm	210 cm	230 cm
Wall sizes	493 x 307 cm	595 x 335 cm	685 x 397 cm	830 x 465 cm
Weight				
Hardware	14 kg	14 kg	14 kg	16 kg
Roof cover	16 kg	18 kg	21 kg	26 kg
per tent wall	2.2 kg	2.5 kg	2.9 kg	4.0 kg
Rack	<ul style="list-style-type: none"> multiple-part aluminum pole (Ø 76 mm x 3 mm): 5-parts for star gazebos Ø 10 m, Ø 12 m, Ø 14 m and 6-parts for gazebos Ø 17 m end cap made of cast aluminum base plate made of aluminum (80 x 80 mm) crank system for fine adjustment and perfect tensioning of the roof ground pegs (Ø 18 x 550 mm) 			
Material (Roof cover, valance, side walls) woven polyester, approx. 200 g/m ²	<p>for tents with individual design in digital printing</p> <p>Without lamination:</p> <ul style="list-style-type: none"> recommended for medium to long term use, woven polyester, approx. 200 g/m² UV-resistant, very good colour reproduction, very good light fastness (6-7), special colours possible waterproof-fabric up to a water column of 2000 mm, sealed seams Note: tents without lamination must be handled carefully to avoid scratch marks <p>With protective lamination:</p> <ul style="list-style-type: none"> recommended for long-term use and use at frequently changing locations, woven polyester, approx. 220 g/m² additional protection of special protective laminate: highest scratch resistance, dirt repellent, particularly long durability UV-resistant, brilliant, bright colours, very good light fastness (6-7), special colours available waterproof-fabric up to a water column of 2000 mm, sealed seams 			
Clear PVC film, approx. 360 g/m ²	<p>for tents in white</p> <ul style="list-style-type: none"> woven polyester, approx. 200 g/m² waterproof-fabric up to a water column of 2000 mm, sealed seams <p>for closed wall, transparent</p> <ul style="list-style-type: none"> colourless, clear wall consists of clear PVC film, approx. 360 g/m² increased wind- and weather protection, UV-resistant wall consists of 2 welded panels, clear view from the outside and inside is guaranteed 			
Mounting of the side walls	<ul style="list-style-type: none"> 6 archways optionally with edging strips or stable double-zippers (inside and outside controllable) for the upgrade of additional walls wall with divided seam, bottom end seamed, curved top with zippers fixed to the tent, bottom edge with webbing loops 			
Windows	<ul style="list-style-type: none"> sewn in clear plastic film, tear-resistant 			
Cleaning	<ul style="list-style-type: none"> can be cleaned using a wet cloth 			
Scope of delivery	<ul style="list-style-type: none"> 5- or 6-part aluminum pole, 1 crank mechanism, 1 pole top, 1 base plate, 6 ground pegs, 1 tool to pull out the ground pegs rooftop with a sewed ring at the pole top and 6 cast aluminum tent-shoes transport bag made of PVC vinyl with practical carrying handle for the pole 			



✓ aluminum pole with crank handle



✓ double-pull zippers



✓ aluminum bases



Wall versions for Star Canopies




Star Canopy – Tent walls made of clear PVC film, colourless

Wall models	Star Canopy Ø 10 m	Star Canopy Ø 12 m	Star Canopy Ø 14 m	Star Canopy Ø 17 m
	closed wall: 493 x 304 cm	closed wall: 595 x 335 cm	closed wall: 685 x 397 cm	closed wall: 830 x 465 cm

Star Canopy – Tent walls made of woven polyester printed or white

Wall models	Star Canopy Ø 10 m	Star Canopy Ø 12 m	Star Canopy Ø 14 m	Star Canopy Ø 17 m
	closed wall: 493 x 304 cm	closed wall: 595 x 335 cm	closed wall: 685 x 397 cm	closed wall: 830 x 465 cm
	wall with entrance: 493 x 304 cm centred zip fastener	wall with entrance: 595 x 335 cm centred zip fastener	wall with entrance: 685 x 397 cm centred zip fastener	wall with entrance: 830 x 465 cm centred zip fastener
	wall with trapezoidal shaped windows: 493 x 304 cm window: 150 x 124 cm	wall with trapezoidal shaped windows: 595 x 335 cm window: 165 x 125 cm	wall with trapezoidal shaped windows: 685 x 397 cm window: 182 x 124 cm	wall with trapezoidal shaped windows: 830 x 465 cm window: 250 x 124 cm
	walls with arched windows, wide: 493 x 304 cm window: 124 x 260 cm	walls with arched windows, wide: 595 x 335 cm window: 124 x 260 cm	walls with arched windows, wide: 685 x 397 cm window: 124 x 260 cm	walls with arched windows, wide: 830 x 465 cm window: 124 x 300 cm
	walls with arched windows, narrow: 493 x 304 cm window: 80 x 260 cm	walls with arched windows, narrow: 595 x 335 cm window: 80 x 260 cm	walls with arched windows, narrow: 685 x 397 cm window: 80 x 260 cm	walls with arched windows, narrow: 830 x 465 cm window: 80 x 300 cm
	walls with panorama window: 493 x 304 cm window: 334 x 124 cm	walls with panorama window: 595 x 335 cm window: 385 x 124 cm	walls with panorama window: 685 x 397 cm window: 405 x 124 cm	walls with panorama window: 830 x 465 cm window: 549 x 124 cm



Archways with edging strips:
No mounting of tent walls possible!

Archways with zippers:
For the mount of tent walls!

All sizes are approximate. As we are constantly developing our products we reserve the right of changing technical issues and dimensional deviations.

Attention:

- Disassemble the tent system only in dry state to prevent any damage during storage.
- Please do not use force during assembly of the canopy to avoid mechanical damage.
- Do not place the tent without required adequate securing! It has to be anchored into the ground properly.
- Star Gazebos and Star Canopies are not suitable for long-term and unattended outdoor use.